

AMENDMENTS TO THE CLAIMS

This listing of claims will replace all prior versions; and listings, of claims in the application. Please amend Claims 10, 33, 36, 38, 40, and 43-45 as follows:

1. (Canceled)
2. (Previously Presented) The method of claim 44 wherein the step of communicating the first datum of the message with encryption of the first datum and the step of communicating the second datum of the message without encryption of the second datum comprise the step of communicating the first datum with encryption and the second datum without encryption in a same packet that comprises the message.
5
3. (Previously Presented) The method of claim 44 wherein the step of communicating the first datum of the message with encryption of the first datum and the step of communicating the second datum of the message without encryption of the second datum comprise the steps of:
5 communicating the first datum with encryption in a first packet of the message;
and
communicating the second datum without encryption in a second packet of the message different from the first packet of the message.
4. (Previously Presented) The method of claim 44 wherein the step of communicating the first datum of the message with encryption of the first datum and the step of communicating the second datum of the message without encryption of the second datum comprise the step of employing a same path between the first computing device and
5 the second computing device to communicate the first datum with encryption and the second datum without encryption.

09/435736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

5 5. (Original) The method of claim 4 wherein the step of employing the same path to communicate the first datum with encryption and the second datum without encryption comprises the step of employing a TCP/IP passage between the first computing device and the second computing device to communicate the first datum with encryption and the second datum without encryption.

 6. (Previously Presented) The method of claim 44 wherein the step of communicating the first datum of the message with encryption of the first datum comprises the step of employing a key to encrypt the first datum of the message for communication of the first datum from the first computing device to the second computing device with encryption of the first datum.

5 7. (Previously Presented) The method of claim 44 further comprising the step of communicating a key from the second computing device to the first computing device, and wherein the step of communicating the first datum of the message from the first computing device to the second computing device with encryption of the first datum comprises the step of employing the key to encrypt the first datum of the message for communication of the first datum from the first computing device to the second computing device.

 8. (Original) The method of claim 7 wherein the key comprises a first key, and further comprising the step of employing a second key to decrypt the first datum of the message after communication of the first datum from the first computing device to the second computing device with encryption of the first datum.

09/435 736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

9. (Original) The method of claim 8 further comprising the step of selecting the first key and the second key to comprise matched keys for communication of the first datum of the message from the first computing device to the second computing device with security of the first datum.

10. (Currently Amended) The method of claim 44 further comprising the step of communicating a procedure from the second computing device to the first computing device, and wherein the step of communicating the first datum of the message from the first computing device to the second computing device with encryption of the first datum comprises the step of employing the procedure to encrypt the first datum of the message for communication of the first datum from the first computing device to the second computing device wherein the Web page comprises hypertext markup language, wherein the first datum comprises the credit card number, wherein the second datum comprises information related to a purchase by the user, wherein the program is embedded in the Web page, and further comprising:

loading the program on the first computing device after the Web page is received by the first computing device.

11. (Original) The method of claim 10 wherein the step of communicating the procedure from the second computing device to the first computing device comprises the step of selecting the procedure to comprise a procedure based on a machine independent Web protocol.

12. (Canceled)

13. (Original) The method of claim 10 wherein the step of communicating the first datum of the message from the first computing device to the second computing

09/435736

Application No. ~~09/435,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

5 device with encryption of the first datum comprises the step of employing the procedure to select the first datum of the message for communication of the first datum from the first computing device to the second computing device with encryption of the first datum.

14. (Original) The method of claim 13 wherein the step of communicating the second datum of the message from the first computing device to the second computing device without encryption of the second datum comprises the step of employing the procedure to select the second datum of the message for communication of the second datum from the first computing device to the second computing device without encryption of the second datum.

15. (Canceled)

16. (Previously Presented) The system of claim 45 wherein the first computing device receives the first datum with encryption and the second datum without encryption in a same packet that comprises the message.

17. (Previously Presented) The system of claim 45 wherein the first computing device receives the first datum with encryption in a first packet of the message, and wherein the first computing device receives the second datum without encryption in a second packet of the message different from the first packet of the message.

18. (Previously Presented) The system of claim 45 wherein the first computing device employs a same path to receive from the second computing device, the first datum of the message with encryption and the second datum of the message without encryption.

19. (Original) The system of claim 18 wherein the same path comprises a TCP/IP passage between the first computing device and the second computing device.

20. (Previously Presented) The system of claim 45 wherein the information communicated from the first computing device to the second computing device includes a key employed by the second computing device to encrypt the first datum of the message for communication of the first datum from the second computing device to the first computing device.

21. (Original) The system of claim 20 wherein the key comprises a first key, and wherein the first computing device employs a second key to decrypt the first datum of the message communicated from the second computing device to the first computing device with encryption of the first datum.

22. (Original) The system of claim 21 wherein the first computing device selects the first key and the second key to comprise matched keys for communication of the first datum of the message from the second computing device to the first computing device with security of the first datum.

23. (Previously Presented) The system of claim 45 in combination with the second computing device, wherein the second computing device employs the procedure to encrypt the first datum for communication of the first datum of the message from the second computing device to the first computing device.

24. (Previously Presented) The system of claim 45 wherein the procedure is based on a machine independent Web protocol.

08/435736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

25. (Canceled)

26. (Previously Presented) The system of claim 45 wherein the procedure causes the second computing device to select the first datum for communication of the first datum of the message from the second computing device to the first computing device with encryption of the first datum.

27. (Original) The system of claim 26 wherein the procedure causes the second computing device to select the second datum for communication of the second datum of the message from the second computing device to the first computing device without encryption of the second datum.

28. (Previously Presented) An article of manufacture comprising at least one computer usable medium having computer readable program code operable to perform the steps of claim 44.

29. (Previously Presented) The method of claim 44 wherein the first datum is confidential information to a user and the second datum is non-confidential information to the user.

30. (Previously Presented) The method of claim 44 further comprising:
receiving the message from a user, the message comprising a plurality of input fields; and

determining each input field comprising confidential information to the user and
5 each input field comprising non-confidential information to the user, wherein the first datum is confidential information and the second datum is non-confidential information.

09/835736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

31. (Previously Presented) The method of claim 44 wherein the communicating steps occur at least substantially simultaneously.

32. (Previously Presented) The method of claim 30, wherein the communicating steps comprise:

encrypting the information in each of the input fields identified as comprising confidential information; and

5 not encrypting the information in each of the input fields identified as comprising non-confidential information.

33. (Currently Amended) The system of claim 45 wherein ~~the first datum is confidential information to a user and the second datum is non-confidential information to the user~~ the Web page comprises hypertext markup language, wherein the first datum comprises the credit card number, wherein the second datum comprises information related to a purchase by the user, wherein the procedure is in an applet received from the second communication device.

34. (Previously Presented) The system of claim 45 wherein the second computing device is operable to receive the message from a user, the message comprising a plurality of input fields and determine each input field comprising confidential information to the user and each input field comprising non-confidential information to the user, wherein the first datum is confidential information and the second datum is non-
5 confidential information.

35. (Previously Presented) The system of claim 34, wherein the second computing device encrypts the information in each of the input fields identified as

09/435 736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

comprising confidential information and does not encrypt the information in each of the input fields identified as comprising non-confidential information.

36. (Currently Amended) A method of communication data between a first computing device and a second computing device, the method comprising:

5 (a) a browser on the first computing device providing a display Web page to a user, the display Web page comprising at least first and second input fields for input from the user and at least a first presentation field associated with the at least first and second input fields;

10 (b) a program on the first computing device receiving a message from the user, wherein the message comprises at least a first and second datum input by the user into the at least first and second input fields, respectively, of the [[display]] Web page, wherein the first datum is confidential to the user and the second datum is non-confidential to the user, and wherein the first datum comprises at least one of a credit card number and a social security number;

(c) the program identifying that the first datum is confidential and the second datum is non-confidential;

15 (d) the first computing device communicating, to the second computing device over an untrusted network, the first datum with encryption; and

(e) the first computing device communicating, to the second computing device over the untrusted network, the second datum without encryption, wherein steps (d) and (e) occur at least substantially simultaneously.

37. (Previously Presented) The method of claim 36, wherein, in steps (d) and (e), the first and second data are included in a same packet.

09/435736

Application No. ~~09/453,726~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

38. (Currently Amended) The method of claim 36, wherein, ~~in steps (d) and (e), the first and second data are transmitted along a same path~~ the Web page comprises hypertext markup language, wherein the first datum comprises the credit card number, wherein the second datum comprises information related to a purchase by the user, wherein the program is embedded in the Web page, and further comprising:

loading the program on the first computing device after the Web page is received by the first computing device.

39. (Previously Presented) A computer readable medium comprising instructions to perform the steps of claim 36.

40. (Currently Amended) A system for communicating data between first and second computing devices, comprising:

(a) a first computer device operable to communicate data over an untrusted network, the first computer device comprising:

5 a user display, the display comprising at least first and second input fields of a Web page for input from the user and at least a first presentation field associated with the at least first and second input fields;

means for receiving a message from the user, wherein the message comprises at least a first and second datum input by the user into the at least first and
10 second input fields, respectively, of the display, wherein the first datum is confidential to the user and the second datum is non-confidential to the user, wherein the first datum comprises at least one of a credit card number and a social security number; and

means for identifying that the first datum is confidential and the second datum is non-confidential; and

15 (b) a second communication device in communication with the first communication device, wherein the first computing device communicates, to the second computing device

09/030736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

over the untrusted network, the first datum with encryption and the second datum without encryption.

41. (Previously Presented) The system of claim 40, wherein the first and second datum are communicated at least substantially simultaneously.

42. (Previously Presented) The system of claim 40, wherein the first and second data are included in a same packet.

43. (Currently Amended) The system of claim 40, wherein the ~~first and second data are transmitted along a same path~~ the Web page comprises hypertext markup language, wherein the first datum comprises the credit card number, wherein the second datum comprises information related to a purchase by the user, wherein the means for identifying is in an applet received from the second communication device.

44. (Currently Amended) A method of communicating data between a first computing device and a second computing device, the method comprising the steps of:
at a first computing device, receiving input information from a Web page displayed
to a user, the input information comprising at least first and second datum corresponding
5 respectively to at least first and second user input fields, wherein the first datum comprises
at least one of a credit card number and a social security number;

at the first computing device, a program determining which of the at least first and second user input fields contains confidential information, wherein the first datum is confidential to the user and the second datum is not confidential to the user;

10 the first computing device communicating the first datum of the message to a second computing device with encryption of the first datum; and

the first computing device communicating the second datum of the message over an untrusted network to the second computing device without encryption of the second datum.

45. (Currently Amended) A data communication system comprising:
~~first and second computing devices, wherein:~~

~~the second computing device is operable to provide a display to a user, the display comprising at least first and second input fields for input from the user and at least a first presentation field associated with the at least first and second input fields and receive, from the user, a message corresponding to the display, wherein a first datum refers to the first input field and a second datum to the second input field of the display; and~~

~~the first computing device is operable to communicate information to the second computing device responsive to a request from the second computing device to the first computing device, the information including a procedure that causes the second computing device communicate the first datum to the first computing device with encryption and the second datum to the first computing device without encryption~~

(a) a first computer device operable to communicate data over an untrusted network, the first computer device comprising:

a user display, the display comprising at least first and second input fields of a Web page for input from the user and at least a first presentation field associated with the at least first and second input fields;

an input operable to receive a message from the user, wherein the message comprises at least a first and second datum input by the user into the at least first and second input fields, respectively, of the display, wherein the first datum is confidential to the user and the second datum is non-confidential to the user and wherein the first datum comprises at least one of a credit card number and a social security number; and

09/435736

Application No. ~~09/453,736~~

Reply to Office Action of Mar. 16, 2005

Amendment dated Jun. 14, 2005

25 a procedure operable to identify that the first datum is confidential and the second datum is non-confidential; and

(b) a second communication device in communication with the first communication device, wherein the first computing device communicates, to the second computing device over the untrusted network, the first datum with encryption and the second datum without encryption.